

## SECTION C

TDPL: 25-3-166

TDPL DATED: 20 Feb 01

START #: C21IAAXX

NSN: 6665-00-778-3482

NOMEN: Filter, Orifice

---

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the DODISS and its supplements which are current on the date of the solicitation. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which were current on the date of the solicitation.

2. TDPL, under SPECIFICATIONS AND STANDARDS, and the following entry:

ASTM D5486 Tape, Packaging, Paper \*\*

3. Drawing 25-3-166, change note 3 as follows:

From: FITER MATERIAL (ZITEC) SHEET, TEFLON 30-60 MICRON, 25.5 MILS THICKNESS, PART NO K1064-122, H4-2 MFG CODE NO. 18632

To: FITER MATERIAL (ZITEC) SHEET, TEFLON 30-60 MICRON, 18-25 MILS THICKNESS, PART NO K1064-122, CAGE CODE 18632.

4. Contact information for note 3 material: Norton Performance Plastics Inc., 150 Dey Road, Wayne, NJ 07470. Phone number 800-526-7844.

5. SPI P25-3-166, Level A Unit Pack Requirements, under column DRAWING OR SPECIFICATION, change as follows:

From: PPP-F-320 To: ASTM D4727

6. SPI P25-3-166, in REMARKS section, note \*, change as follows:

From: PPP-T-76 To: ASTM D5486, Type V

7. SPI P25-3-166, in REMARKS section, note \*\*\*\*, change as follows:

From: Intermediate package quantity shall be ten unit packs. Intermediate container shall be PPP-B-636 fiberboard box, style RSC, grade W6c, class WR, size 9 x 3 1/2 x 3 I.D. Closure shall be

accomplished in accordance with PPP-B-636, appendix. A grade W5c box may be substituted.

To: Intermediate package quantity shall be ten unit packs. Intermediate container shall be ASTM D5118 fiberboard box, style RSC, grade W6c, class WR, size 9 x 3 ½ x 3 I.D. Closure shall be accomplished in accordance with ASTM D1974. A grade W5c box may be substituted.

8. Shelf life marking is not required for this item.

9. The following Statement of Work for Ozone Depleting Chemicals also applies:

#### STATEMENT OF WORK - OZONE DEPLETING CHEMICALS

I.a. The following specifications and standards may be listed and included as part of this Technical Data Package (TDP)/ Scope of Work (SOW):

MIL-STD-2073/1

b. Other specifications and standards, which identify ODCs among alternative substances for use, are part of this TDP/SOW as follows:

c. The above specifications and standards allow the optional use of Ozone Depleting Substances (ODS) or Ozone Depleting Chemicals (ODC). Preference should be given to the Non-ODS/ODC choices in compliance with Executive Order 12843, dated April 21, 1993, "Procurement Requirements and Policies for Federal Agencies for Ozone Depleting Substances".

II. Other specifications and standards containing ODS/ODC materials and included in this TDP for which a substitute is provided are as follows:

N/A

III. Other specifications and standards included in this TDP that specify use of an ODS/ODC and have been approved for use are as follows:

N/A

IV. NOTE: Offerers are requested, although not obligated, to perform their own screening of the TDP specifications and standards

or SOW and identify any additional potential ODS/ODC to the contracting officer.

-----

## DOCUMENT SUMMARY LIST

Item: FILTER, ORFICE  
NSN: 6665-00-778-3482  
Control Number/PRON: C21IAAXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.  
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."
- (5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56.Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.

Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94

**ADDRESS CODE DISTRIBUTION – for ECPs.RFDs/RFWs/VECPs**  
**(Configuration Management)**

1. Concurrent transmittal of Engineering Change Proposals (ECPs), Requests for Deviation (RFDs), Requests for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors by either emailing or faxing engineering actions as follows:

2. The contractor shall electronically transmit copies to:

a. (SBCCOM (RI) Engineering Office)  
OFFICE: AMSSB-RSO-IPM (RI)  
POC: Dale Gustafson  
EMAIL: gustafsond@ria.army.mil  
FAX: (309) 782-4651

b. (Contracting Officer)  
OFFICE: AMSTA-CM-CREC  
POC: Joyce L. Klein  
EMAIL: kleinj@ria.army.mil  
FAX: (309) 782-1218

c. Administrative Contracting Officer

3. For VECs only:

a. (Design Agency)  
OFFICE: AMSSB-REN-R (A)  
POC: Kimberly Walton  
EMAIL: krwalton@sbccom.apgea.army.mil  
FAX: (410) 436-3912

## **LIST OF ADDRESSES**

(see block 14 of DD Form 1423 for symbols that apply)

Commander  
U.S. Army TACOM-RI  
ATTN: AMSTA-CM-CREC  
Rock Island, IL 61299-7630

Commander  
U.S. Army TACOM-RI  
ATTN: AMSTA-LCRS  
Rock Island, IL 61299-7630

Commander  
U.S. Army Soldier and Biological Chemical Command  
ATTN: AMSSB-RSO-ADM (RI)  
Rock Island, IL 61299-7390


Commander  
U.S. Army Soldier and Biological Chemical Command  
ATTN: AMSSB-RSO-IPM (RI)  
Rock Island, IL 61299-7390

Commander  
U.S. Army Soldier and Biological Chemical  
ATTN: AMSSB-RIM-\_\_\_\_ or AMSSC-RIM-\_\_\_\_ (N)  
Kansas Street  
Natick, MA 01760-5052

Commander  
U.S. Army Soldier and Biological Chemical Command  
ATTN: AMSSB-REN-\_\_\_\_ (A)  
Aberdeen Proving Ground, MD 21010-5423

1. THIS DRAWING SHALL BE INTERPRETED IN ACCORDANCE WITH

- ONLY THE ITEM DESCRIBER ON THIS DRAWING WHEN PROCURED FROM THE VENDORS LISTED HEREON, IS APPROVED BY AMCCOM FOR USE IN THE APPLICATION LISTED HEREON. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY AMCCOM.
- IDENTIFICATION OF THE APPROVED SOURCE OF SUPPLY HEREON IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED ON THE DRAWING.



REVSIONS		DATE	BY	NO.
1	REPLACES B25, 3-166 REV E DATED 26 JAN 79 WITHOUT CHANGE	15MAR86	JSR	1
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				

APPLICATION				QTY REQD	DWG SIZE	DRAWING OR PART NO.		NOMENCLATURE OR MATERIAL		SPECIFICATION	ITER NO.
DWG SIZE	NEXT ASSY	UNLESS OTHERWISE SPECIFIED  DIMENSIONS ARE IN INCHES  TOLERANCES ON: 2 PLACE DECIMALS ± .04 3 PLACE DECIMALS ± .010 MILES ± 0° 30'			ORIGINAL DATE REV-NO-AM 6 AUG 52		PARTS LIST				
SEE	ENGR RECORD										
		MATERIAL			DRAWN BY JL		CHECKED GRC		INSPECTED GEORGE R. COLE SR.		
END ITEM CODE NO.		NOTE: 3			DESIGN APPROVAL JOSEPH SUTTLE		DESIGNER APPROVAL J.T. BRENNAN		CONTRACT NO.		
SEE	ENGR RECORD										
		SCALE 1/1			SIZE		CAGE CODE		DWG NO.		
		SHEET 1 OF 1			C 81361		C25-3-166		U.S. ARMY ARMAMENT, MUNITIONS & CHEMICAL COMMAND CHEMICAL RESEARCH, DEVELOPMENT AND ENGINEERING CENTER ABERDEEN PROVING GROUND, HANTAM, MD 2100-5423		
FILTER, ORIFICE											



# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: FILTER,ORFICE  
TO CONTRACT/PR: C21IAAXX

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

1. A003  
2. REQUEST FOR WAIVER (RFW)  
3.  
4. DI-CMAN-80641B  
5. MIL-STD-973  
6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.\*\*  
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0  
12. ASREQ 13.  
16. REMARKS  
\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CON-  
FIGURATION MANAGER.

-----  
1. A004  
2. NOTICE OF REVISION (NOR)  
3.  
4. DI-CMAN-80642B  
5. MIL-STD-973  
6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.\*\*  
10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0  
12. ASREQ 13.  
16. REMARKS  
THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED  
LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP  
APPROVAL. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY  
THE DOD CONFIGURATION MANAGER.

-----  
ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER  
U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)  
ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1<sup>st</sup>floor,West Wing  
ROCK ISLAND,IL 61299-7390  
-----

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 04/16/01